

**CITY OF BALTIMORE  
DEPARTMENT OF GENERAL SERVICES  
BOOK OF STANDARDS - 2010  
TABLE OF CONTENTS**

**Category No. 1 - Preliminary**

| <u>Std. No.</u> | <u>Description</u>   | <u>Sheet No.</u> |
|-----------------|--|------------------|
| BC 103.01       | Engineer's Office No. 2 - Trailer  | 1 of 1           |
| BC 103.02       | Engineer's Office No. 3 – Trailer  | 1 of 1           |
| BC 104.01-1     | Guidelines for Temporary Traffic Control   | 1 of 7           |
| BC 104.01-2     | Temporary Traffic Control Plan Preparation and Requirements  | 2 of 7           |
| BC 104.01-3     | Temporary Traffic Control Plan Preparation and Requirements  | 3 of 7           |
| BC 104.01-4     | Sign Spacing, Taper and Buffer Lengths Criteria  | 4 of 7           |
| BC 104.01-5     | Portable Variable Message Sign Placement   | 5 of 7           |
| BC 104.01-6     | Barrier Delineation Barrier 4' or Closer to Edge Line  | 6 of 7           |
| BC 104.01-7     | Barrier Delineation Barrier between 4' and 15' from Edge Line  | 7 of 7           |
| BC 104.02-2     | Shoulder Work / 2-Lane, 2 Way Equal or Less Than 40 mph  | 1 of 1           |
| BC 104.02-4     | Lane Shift Right or Left Side / 2-Lane, 2-Way Equal or Less Than 40 mph / 15 Min. – 12 Hrs. or Daytime Only            | 1 of 1           |
| BC 104.02-6     | Work in Center of Low-Volume Road 2-Lane, 2-Way/Equal/Less Than 40 mph / 15 Min. – 12 Hrs. or Daytime Only             | 1 of 1           |
| BC 104.02-8     | Lane Shift for Complete Travel Way Blockage / 2-Lane, 2-Way Equal/Less Than 40 mph / 15 Min. – 12 Hrs. or Daytime Only | 1 of 1           |
| BC 104.02-10    | Flagging Operation/2-Lane, 2-Way Equal/Less Than 40 mph  | 1 of 1           |
| BC 104.02-12    | Bypass Detour/2-Lane, 2-Way Equal/Less Than 40 mph/Over 12 Hrs. or Nighttime Use                                       | 1 of 1           |
| BC 104.02-14    | Intersection Flagging Operation 2-Lane, 2-Way Equal/Less Than 40 mph   | 1 of 1           |
| BC 104.03-2     | Shoulder Work/Multilane Undivided Equal/Less Than 40 mph   | 1 of 1           |
| BC 104.03-4     | Left Lane Closure/Multilane Undivided Equal/Less Than 40 mph   | 1 of 1           |
| BC 104.03-6     | Right Lane Closure/Multilane Undivided Equal/Less Than 40 mph  | 1 of 1           |
| BC 104.03-8     | Partial Roadway Closure/Multilane Undivided Equal/Less Than 40 mph   | 1 of 1           |
| BC 104.03-10    | Intersection Far-Left Lane Closure/Multilane Undivided Equal/Less Than 40 mph  | 1 of 1           |
| BC 104.03-12    | Intersection Far-Right Lane Closure/Multilane Undivided Equal/Less Than 40 mph   | 1 of 1           |
| BC 104.03-14    | Intersection Far-Side Lane Closure/Multilane Undivided Equal/Less Than 40 mph  | 1 of 1           |
| BC 104.04-2     | Shoulder Work / Divided Unconnected Equal/Less Than 40 mph   | 1 of 1           |
| BC 104.04-4     | Left Lane Closure / Divided Unconnected Equal/Less Than 40 mph   | 1 of 1           |
| BC 104.04-6     | Right Lane Closure / Divided Unconnected Equal/Less Than 40 mph  | 1 of 1           |
| BC 104.04-8     | Center Lane Closure / Divided Unconnected Equal/Less Than 40 mph   | 1 of 1           |
| BC 104.04-12    | Roadway Closure / Divided Unconnected Equal/Less Than 40 mph/ 12 Hrs. or Nighttime Use                                 | 1 of 1           |
| BC 104.04-14    | Left Turn Bay Closure / Divided Unconnected Equal/Less Than 40 mph   | 1 of 1           |
| BC 104.04-16    | Intersection (Left Lane, Turn Bay) Closure / Divided Unconnected Equal/Less Than 40 mph                                | 1 of 1           |

| <u>Std. No.</u> | <u>Description</u>  | <u>Sheet No.</u> |
|-----------------|---|------------------|
| BC 104.05       | Precast Temporary 32" F Shape Concrete Traffic Barrier<br>(Pin and Loop Joint)                                  | 1 of 2           |
| BC 104.05-1     | Precast Temporary 32" F Shape Concrete Traffic Barrier<br>(Pin and Loop Joint)                                  | 2 of 2           |
| BC 104.05-2     | Shoulder Work/ Exp-Freeway/Equal/Less Than 40 mph   | 1 of 1           |
| BC 104.05-3     | Roadway Shift/ Exp-Freeway/Greater Than 40 mph  | 1 of 1           |
| BC 104.05-4     | Lanes Divide/ Exp-Freeway/Greater Than 40 mph   | 1 of 1           |
| BC 104.05-5     | Lanes Shift/ Exp-Freeway/Greater Than 40 mph/ Over<br>12 hrs. or Nighttime Use                                  | 1 of 1           |
| BC 104.05-6     | Lanes Divide/ Exp-Freeway/ Greater Than 40 mph/ Over<br>12 hrs. or Nighttime Use                                | 1 of 1           |
| BC 104.05-7     | Right Lane Closure/ Exp-Freeway Greater Than 40 mph   | 1 of 1           |
| BC 104.05-8     | Left Lane Closure/ Exp-Freeway Greater Than 40 mph  | 1 of 1           |
| BC 104.05-10    | Center Lane Closure/ Exp-Freeway Greater Than 40 mph  | 1 of 1           |
| BC 104.06-5     | Pedestrian and Curb Lane Control/ Multilane Undivided, All Speeds/<br>Over 12 hrs. or Nighttime Use             | 1 of 1           |
| BC 104.06-12    | Pavement Edge Drop-Off 2.5" or Less (Between Traffic Lanes<br>and Shoulder)                                     | 1 of 1           |
| BC 104.10-1     | Precast Concrete Barrier (Typical Panel)  | 1 of 3           |
| BC 104.10-2     | Precast Concrete Barrier (Section A-A)  | 2 of 3           |
| BC 104.10-3     | Precast Concrete Barrier Flasher Bracket Details  | 3 of 3           |
| BC 105.01       | Treatment for Abandoned Manholes  | 1 of 1           |
| BC 111.01       | Traffic Control for Work Activity Off The Road  | 1 of 1           |
| BC 112.01       | Traffic Control for Partial Lane Closure  | 1 of 1           |
| BC 112.02       | 2 Right (Left) Lanes Closure / Divided Uncontrolled   | 1 of 1           |
| BC 114.01       | Traffic Control for Two-Way Left Turn Lane Closure  | 1 of 1           |
| BC 115.01       | Flagging Control at 3-Leg Intersection (1)  | 1 of 1           |
| BC 115.02       | Flagging Control at 3-Leg Intersection (2)  | 1 of 1           |
| BC 115.03       | Flagging Control at 3-Leg Intersection (3)  | 1 of 1           |
| BC 115.04       | Flagging Control at 3-Leg Intersection (4)  | 1 of 1           |
| BC 115.05       | Flagging Control at 3-Leg Intersection, Far-Side Closure  | 1 of 1           |
| BC 116.01       | Traffic Control for Right Turn Lane Closure   | 1 of 1           |
| BC 117.01       | Pedestrian Control for Sidewalk Bypass  | 1 of 1           |
| BC 117.01-1     | Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than<br>or Equal to 40 mph/Over 12 Hrs. or Nighttime Use | 1 of 4           |
| BC 117.01-2     | Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than<br>or Equal to 40 mph/Over 12 Hrs. or Nighttime Use | 2 of 4           |
| BC 117.01-3     | Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than<br>or Equal to 40 mph/Over 12 Hrs. or Nighttime Use | 3 of 4           |
| BC 117.01-4     | Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than<br>or Equal to 40 mph/Over 12 Hrs. or Nighttime Use | 4 of 4           |
| BC 117.02       | Covered Walkway   | 1 of 1           |

#### **Category No. 4 - Structures**

|           |  |        |
|-----------|--|--------|
| BC 400.01 | Year Built Numerals                    | 1 of 1 |
| BC 400.02 | Year Built Numerals                    | 1 of 1 |
| BC 400.03 | Year Built Numerals                    | 1 of 1 |
| BC 418.02 | Steel 'H' Pile Splice Detail           | 1 of 1 |
| BC 418.03 | Reinforced 'H' Pile Tip Details        | 1 of 1 |
| BC 418.04 | Heavy Duty C.I.P. Concrete Pile Splice | 1 of 1 |
| BC 424.91 | Bridge Parapet                         | 1 of 1 |

| <u>Std. No.</u> | <u>Description</u>  | <u>Sheet No.</u> |
|-----------------|---|------------------|
| BC 424.92       | Bridge Median Barrier   | 1 of 1           |
| BC 429.01       | Cover Plate Details   | 1 of 1           |
| BC 430.01       | Haunch and Steel Stud Details at Top of Beams   | 1 of 1           |
| BC 431.01       | Longitudinal Joint in Bridge Deck   | 1 of 1           |
| BC 432.01       | Stay-In-Place Steel Forms for Concrete Slabs Supported by Steel Beams                         | 1 of 1           |
| BC 437.01       | Standard Scupper Type 'C'   | 1 of 1           |
| BC 437.02       | Standard Scupper Type 'D'   | 1 of 1           |
| BC 437.03       | Standard Scupper Grating  | 1 of 1           |
| BC 440.01       | Support Bracket for Bridge Mounted 30'-40' Light Poles on Jersey Barrier                      | 1 of 1           |
| BC 440.03       | Bridge Lighting Conduit Details   | 1 of 1           |
| BC 440.04       | Controller Cabinet Support  | 1 of 1           |
| BC 440.05       | Emergency Telephone Support   | 1 of 1           |
| BC 445.01       | Single Cell Modular Compression Seal for Roadway Joints                                       | 1 of 1           |
| BC 446.01       | Multi-Cell Modular Compression Seal for Roadway Joints  | 1 of 1           |
| BC 446.02       | Multi-Cell Details  | 1 of 1           |
| BC 447.01       | Transflex Compression Seal for Roadway Joints   | 1 of 1           |
| BC 450.01-1     | Bearing Shoe Details Spans Less than Fifty Feet (50') c/c Bearings                            | 1 of 2           |
| BC 450.01-2     | Bearing Shoe Details Spans Less than Fifty Feet (50') c/c Bearings                            | 2 of 2           |
| BC 451.01-1     | Bearing Shoe Details Spans Fifty Feet (50') To One Hundred and Fifty Feet (150') c/c Bearings | 1 of 2           |
| BC 451.01-2     | Bearing Shoe Details Spans Fifty Feet (50') To One Hundred and Fifty Feet (150') c/c Bearings | 2 of 2           |
| BC 452.01       | Bearing Shoe Details Spans Less than One Hundred Fifty Feet (150') c/c Bearings               | 1 of 1           |
| BC 453.01-1     | Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150') c/c Bearings            | 1 of 2           |
| BC 453.01-2     | Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150') c/c Bearings            | 2 of 2           |
| BC 454.01-1     | Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150') ) c/c Bearings          | 1 of 2           |
| BC 454.01-2     | Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150') ) c/c Bearings          | 2 of 2           |
| BC 460.01-1     | Fixed Bearing Short Length Spans (Grade 50 Steel)   | 1 of 2           |
| BC 460.01-2     | Fixed Bearing Short Length Spans (Grade 50 Steel)   | 2 of 2           |
| BC 461.01-1     | Expansion Bearing Short Length Spans (Grade 50 Steel)   | 1 of 2           |
| BC 461.01-2     | Expansion Bearing Short Length Spans (Grade 50 Steel)   | 2 of 2           |
| BC 462.01-1     | Fixed Bearing Medium Length Spans (Grade 50 Steel)  | 1 of 3           |
| BC 462.01-2     | Fixed Bearing Medium Length Spans (Grade 50 Steel)  | 2 of 3           |
| BC 462.01-3     | Fixed Bearing Medium Length Spans (Grade 50 Steel)  | 3 of 3           |
| BC 463.01-1     | Bronze Expansion Bearing Medium Length Spans (Grade 50 Steel)                                 | 1 of 3           |
| BC 463.01-2     | Bronze Expansion Bearing Medium Length Spans (Grade 50 Steel)                                 | 2 of 3           |
| BC 463.01-3     | Bronze Expansion Bearing Medium Length Spans (Grade 50 Steel)                                 | 3 of 3           |
| BC 470.01       | Concrete Barrier Bridge Parapet and Median  | 1 of 1           |

### **Category No. 5 – Paving**

|             |                  |        |
|-------------|------------------|--------|
| BC 500.01   | Typical Driveway | 1 of 1 |
| BC 500.11   | Alley Entrance   | 1 of 1 |
| BC 500.12   | Concrete Alley   | 1 of 1 |
| BC 500.13-1 | Bus Stopping Pad | 1 of 2 |
| BC 500.13-2 | Bus Stopping Pad | 2 of 2 |

| <u>Std. No.</u> | <u>Description</u>  | <u>Sheet No.</u> |
|-----------------|---|------------------|
| BC 500.21       | Cul-de-Sac  | 1 of 1           |
| BC 500.22       | Tee Turn-Around   | 1 of 1           |
| BC 572.01       | Placement of Bar Mats Reinforced Concrete Pavement              | 1 of 1           |
| BC 572.02       | Clipped or Welded Bar Mats Reinforced Concrete Pavement         | 1 of 1           |
| BC 572.03       | Hinged Clipped Bar Mat Reinforced Concrete Pavement             | 1 of 1           |
| BC 572.04       | Hinged Clipped Bar Mat Reinforced Concrete Pavement             | 1 of 1           |
| BC 572.05       | Welded Wire Mesh Reinforced Concrete Pavement                   | 1 of 1           |
| BC 572.21       | Requirements for Load Transfer Devices Reinf. Concrete Pavement | 1 of 1           |
| BC 572.22       | Load Transfer Assembly Expansion Joints                         | 1 of 1           |
| BC 572.23       | Load Transfer Assembly Contraction Joints                       | 1 of 1           |
| BC 572.24       | Load Transfer Assembly Expansion Joints                         | 1 of 1           |
| BC 572.25       | Load Transfer Assembly Contraction Joints                       | 1 of 1           |
| BC 572.26       | Dowel Weld Load Transfer Assembly Expansion Joints              | 1 of 1           |
| BC 572.27       | Dowel Weld Load Transfer Assembly Contraction Joints            | 1 of 1           |
| BC 572.41       | Dowel Assembly Expansion Joints                                 | 1 of 1           |
| BC 572.42       | Dowel Assembly Contraction Joints                               | 1 of 1           |
| BC 572.43       | Dowel Tube Expansion Joint Assembly                             | 1 of 1           |
| BC 572.44       | Dowel Bar Keeper  | 1 of 1           |
| BC 572.51       | Dowel Sleeve Expansion Joint Assembly                           | 1 of 1           |
| BC 572.61-1     | Longitudinal Tie Devices  | 1 of 2           |
| BC 572.61-2     | Special Longitudinal Tie Device                                 | 2 of 2           |
| BC 572.92-1     | Types of Joints Cement Concrete Pavement                        | 1 of 2           |
| BC 572.92-2     | Types of Joints Cement Concrete Pavement                        | 2 of 2           |
| BC 576.17-1     | Street Cut and Repair - Temporary Steel Plate                   | 1 of 2           |
| BC 576.17-2     | Street Cut and Repair Recessed Temporary Steel Plate            | 2 of 2           |
| BC 576.18-1     | Street Cut and Repair - Rigid Pavement                          | 1 of 2           |
| BC 576.18-2     | Street Cut and Repair - Rigid Pavement                          | 2 of 2           |
| BC 576.19-1     | Street Cut and Repair - Full Depth - Flexible Pavement          | 1 of 2           |
| BC 576.19-2     | Street Cut and Repair - Full Depth - Flexible Pavement          | 2 of 2           |
| BC 576.20-1     | Street Cut and Repair - Flexible Surface - Rigid Base           | 1 of 2           |
| BC 576.20-2     | Street Cut and Repair - Flexible Surface - Rigid Base           | 2 of 2           |
| BC 576.22-1     | Street Cut and Repair - Utility Adjustment Raise 1" to 6"       | 1 of 3           |
| BC 576.22-2     | Street Cut and Repair - Utility Adjustment Lower 2" Max.        | 2 of 3           |
| BC 576.22-3     | Street Cut and Repair - Utility Adjustment Lower 2" to 6"       | 3 of 3           |

### **Category No. 6 – Shoulders**

|           |  |        |
|-----------|--|--------|
| BC 615.01 | Standard Hot Mix Asphalt Curb  | 1 of 1 |
| BC 620.01 | Standard Type 'A' Curb-Standard Type 'A' Modified Curb                     | 1 of 1 |
| BC 620.02 | BC Type 'A' Curb - BC Type 'A' Modified Curb                               | 1 of 1 |
| BC 620.03 | Standard Alley Return Curb   | 1 of 1 |
| BC 620.04 | Standard Mountable 'V' Type Combination Curb and Gutter                    | 1 of 1 |
| BC 620.05 | Special Type 'A' Combination Curb and Gutter - Special BC Type 'A' Curb    | 1 of 1 |
| BC 620.06 | Resetting Granite Curb   | 1 of 1 |
| BC 620.11 | Standard Combination Curb and Gutter Type 'A' – Standard Type 'A' Modified | 1 of 1 |
| BC 620.12 | Special Monolithic - Combination Curb and Gutter                           | 1 of 1 |
| BC 640.01 | Standard Curb Opening Detail - Curb Section                                | 1 of 1 |
| BC 640.02 | Standard Curb Opening Detail - Curb and Gutter Section                     | 1 of 1 |
| BC 645.01 | Monolithic Concrete Median - Type 'A'                                      | 1 of 1 |
| BC 645.02 | Monolithic Concrete Median - Type 'B'                                      | 1 of 1 |
| BC 645.03 | Monolithic Concrete Median - Type 'C'                                      | 1 of 1 |
| BC 645.04 | Std. Monolithic Concrete Median, Type 'A'                                  | 1 of 1 |

| <u>Std. No.</u> | <u>Description</u>   | <u>Sheet No.</u> |
|-----------------|--|------------------|
| BC 645.05       | Std. Monolithic Concrete Median, Type 'A' Modified   | 1 of 1           |
| BC 648.01       | 34 Inch, F Shape Concrete Barrier Single Face, on New Concrete Pavement                      | 1 of 1           |
| BC 648.02       | 34 Inch, F Shape Concrete Barrier Single Face, on Existing Concrete Pavement                 | 1 of 1           |
| BC 648.03       | 42 Inch, F Shape Concrete Median Traffic Barrier End Transition                              | 1 of 1           |
| BC 648.04       | 42 Inch, F Shape Concrete Traffic Barrier Single Face Type 1 (w/Earth Backing In Fill)       | 1 of 1           |
| BC 648.05       | 42 Inch, F Shape Concrete Traffic Barrier Single Face Type 2 (Free Standing In Fill)         | 1 of 1           |
| BC 648.06       | 42 Inch, F Shape Concrete Median Traffic Barrier   | 1 of 1           |
| BC 648.07       | Diagonal Bar For Slip Formed 34 Inch or 42 Inch F Shape Single Face Concrete Traffic Barrier | 1 of 1           |
| BC 648.08       | 42 Inch F Shape Concrete Median Traffic Barrier Bifurcated 4'-0" to 8'-0"                    | 1 of 1           |
| BC 648.21       | 34 Inch F Shape Concrete Median Traffic Barrier Double Face                                  | 1 of 1           |
| BC 655.01       | Sidewalk Expansion Joints  | 1 of 1           |
| BC 655.05       | Typical Section Concrete Sidewalk  | 1 of 1           |
| BC 655.10       | Typical Section Brick Sidewalk   | 1 of 1           |
| BC 655.11       | Sidewalk Ramps Perpendicular   | 1 of 1           |
| BC 655.12       | Sidewalk Ramps Parallel  | 1 of 1           |
| BC 655.13       | Sidewalk Ramps Combination   | 1 of 1           |
| BC 655.21       | Cut-Through Median and Island Openings   | 1 of 1           |
| BC 655.22       | Ramped Median and Island Openings  | 1 of 1           |
| BC 655.40       | Detectable Warning Surfaces  | 1 of 1           |
| BC 656.01       | Concrete Stairsteps and Ornamental Iron Railings   | 1 of 1           |
| BC 660.01       | Traffic Barrier W Beam - General Notes and Details   | 1 of 1           |
| BC 660.02       | Traffic Barrier W Beam - Trail End Anchorage General Notes and Details                       | 1 of 1           |
| BC 660.03       | Traffic Barrier W Beam - Splice Joint  | 1 of 1           |
| BC 660.04       | Traffic Barrier W Beam with Wood Offset Block  | 1 of 1           |
| BC 660.11       | Traffic Barrier W Beam - End Treatment Cut to Fill   | 1 of 1           |
| BC 660.14       | Traffic Barrier W Beam - Shoulder Barrier Layout Right Shoulder                              | 1 of 1           |
| BC 660.15       | Traffic Barrier W Beam - Shoulder Barrier Treatment at Obstacles                             | 1 of 1           |
| BC 660.16       | Traffic Barrier W Beam - Median Barrier Treatment at Obstacles                               | 1 of 1           |
| BC 660.21       | Traffic Barrier W Beam at Bridge Approaches Cut  | 1 of 1           |
| BC 660.22       | Traffic Barrier W Beam at Bridge Approaches Embankment 15 feet or Less                       | 1 of 1           |
| BC 660.23       | Traffic Barrier Beam at Bridge Approaches Embankment 15 feet or Greater                      | 1 of 1           |
| BC 660.24       | Traffic Barrier W Beam with Type A End Anchorage (Single Rail)                               | 1 of 1           |
| BC 660.25       | Traffic Barrier W Beam with Type A End Anchorage (Double Rail)                               | 1 of 1           |
| BC 660.26       | Traffic Barrier W Beam with Type A End Anchorage (Option 1)                                  | 1 of 1           |
| BC 660.27       | Traffic Barrier W Beam with Type A End Anchorage (Option 2)                                  | 1 of 1           |
| BC 660.28       | Type B Traffic Barrier End Treatment   | 1 of 1           |
| BC 660.29       | Type D Traffic Barrier End Treatment   | 1 of 1           |
| BC 660.31       | Traffic Barrier W Beam Approach Flare  | 1 of 1           |
| BC 660.32       | Traffic Barrier W Beam Anchorage Casting   | 1 of 1           |
| BC 660.41       | Traffic Barrier W Beam Anchorage at Structures   | 1 of 1           |
| BC 660.51       | Traffic Barrier W Beam Median Barrier End Treatment  | 1 of 1           |
| BC 660.52       | Traffic Barrier W Beam Median Barrier End Block  | 1 of 1           |
| BC 660.61       | Traffic Barrier W Beam Barricade   | 1 of 1           |
| BC 662.01-1     | Traffic Barrier Box Beam Median Barrier Section 4 - Splice Detail                            | 1 of 2           |
| BC 662.01-2     | Traffic Barrier Box Beam Shoulder Barrier Section-Splice Detail                              | 2 of 2           |
| BC 662.02-1     | Traffic Barrier Box Beam Shoulder Barrier Typical End Treatment                              | 1 of 2           |

| <u>Std. No.</u> | <u>Description</u>   | <u>Sheet No.</u> |
|-----------------|--|------------------|
| BC 662.02-2     | Traffic Barrier Box Beam Shoulder Barrier Typical End Treatment          | 2 of 2           |
| BC 662.11       | Traffic Barrier Box Beam Shoulder Barrier Layout Right Shoulder          | 1 of 1           |
| BC 662.12       | Traffic Barrier Box Beam Shoulder Barrier Treatment at Obstacles         | 1 of 1           |
| BC 662.13       | Traffic Barrier Box Beam Median Barrier Treatment at Obstacles           | 1 of 1           |
| BC 662.31       | Traffic Barrier Box Beam Anchorage at Structure                          | 1 of 1           |
| BC 662.51-1     | Traffic Barrier Box Beam Median Barrier - Details for Raised Medians     | 1 of 2           |
| BC 662.51-2     | Traffic Barrier Box Beam Median Barrier - Details for Flush Medians      | 2 of 2           |
| BC 662.61-1     | Traffic Barrier Box Beam Median Barrier – Typical Layout at Bridges      | 1 of 2           |
| BC 662.61-2     | Traffic Barrier Box Beam Median Barrier - Typical End Treatment          | 2 of 2           |
| BC 690.01-1     | Chain-Link Fence with Brace Rails and Fence Treatment at Expansion Joint | 1 of 6           |
| BC 690.01-2     | Chain-Link fence with Tension Wire Top and Bottom                        | 2 of 6           |
| BC 690.01-3     | Fence Gate Detail for Chain-Link Fence                                   | 3 of 6           |
| BC 690.01-4     | Chain-Link Fence Treatment at Vertical Break in Alignment                | 4 of 6           |
| BC 690.01-5     | Post Mounting Details Chain-Link Fence                                   | 5 of 6           |
| BC 690.01-6     | Post Mounting Details Chain-Link Fence                                   | 6 of 6           |

### **Category No. 7 – Roadside Improvements**

|             |  |        |
|-------------|--|--------|
| BC 701.01   | Tree Well  | 1 of 1 |
| BC 701.11   | Lightning Protection for Trees   | 1 of 1 |
| BC 701.22   | Root Pruning Detail  | 1 of 1 |
| BC 701.31   | Mulching Shrub Beds and Planting Patterns  | 1 of 1 |
| BC 701.32   | Tree Protection Detail for Determination of Critical Root Zone                       | 1 of 1 |
| BC 701.33   | Tree Protection Fence, Plan  | 1 of 1 |
| BC 701.34   | Typical Signage for Tree Preservation Area Sign                                      | 1 of 1 |
| BC 701.35   | Tree Protection Fence over Concrete or Asphalt, Elevation                            | 1 of 1 |
| BC 701.36   | Tree Protection Fence for Grass Areas, Elevation                                     | 1 of 1 |
| BC 701.41   | Soil Shoulders for Shrub Beds Planted on Slopes                                      | 1 of 1 |
| BC 701.51   | Wrapping Tree and Grading Tree on Slope  | 1 of 1 |
| BC 701.61-1 | Tree Planting Standards For Site Plan Projects                                       | 1 of 4 |
| BC 701.61-2 | Tree Planting Standards For Site Plan Projects                                       | 2 of 4 |
| BC 701.61-3 | Tree Planting Standards For Site Plan Projects                                       | 3 of 4 |
| BC 701.61-4 | Tree Planting Standards For Site Plan Projects                                       | 4 of 4 |
| BC 702.01   | General Standard for Tree Planting   | 1 of 1 |
| BC 702.02   | Planting Trees Under 5" Caliper  | 1 of 1 |
| BC 702.03   | Planting Trees 5" Caliper and Over   | 1 of 1 |
| BC 702.04   | Tree Planting Detail for Street Tree in Pit  | 1 of 1 |
| BC 702.05   | Structure Free Zone Garage or Other Cavity Extending Under Sidewalk                  | 1 of 1 |
| BC 702.06   | Mulch Detail For Trees   | 1 of 1 |
| BC 702.07   | Shrub and Ground Cover Planting Detail   | 1 of 1 |
| BC 704.01   | Tree Pit Paving Detail: Granite or Concrete Block For Use in High Traffic Areas Only | 1 of 1 |
| BC 704.02   | Pavers Over Tree Pit   | 1 of 1 |
| BC 704.03   | Tree Pit Drainage Details  | 1 of 1 |
| BC 704.04   | Continuous Soil Panel Under Sidewalk   | 1 of 1 |
| BC 704.05   | Continuous Planting Strip  | 1 of 1 |
| BC 705.01   | Root Paths Perspective   | 1 of 1 |
| BC 705.02   | Root Paths Details   | 1 of 1 |
| BC 706.01   | Tree Pit Guard   | 1 of 1 |
| BC 706.02   | Expandable Tree Grate and Frame Details  | 1 of 1 |
| BC 710.01-1 | Fastener for Tree Staking  | 1 of 5 |
| BC 710.01-2 | Deciduous Trees Transplanted by Tree Spade   | 2 of 5 |
| BC 710.01-3 | Staking 3" to 4" Deciduous Trees and 10' to 12' Evergreen Trees                      | 3 of 5 |

| <u>Std. No.</u> | <u>Description</u>                                     | <u>Sheet No.</u> |
|-----------------|--|------------------|
| BC 710.01-4     | Staking Minor and Evergreen Trees to 10' Height        | 4 of 5           |
| BC 710.01-5     | Staking Trees under 5" Caliper                         | 5 of 5           |
| BC 710.11       | Planting Small Planting Stock                          | 1 of 1           |
| BC 710.21       | Rest Area Parking for Handicapped                      | 1 of 1           |
| BC 710.31-1     | Planting Trees over 5" Caliper Transplanted by Machine | 1 of 2           |
| BC 710.31-2     | Guying Trees Over 4" Caliper                           | 2 of 2           |
| BC 711.01-1     | Modified Tree Pit with Tree Root Barrier               | 1 of 2           |
| BC 711.01-2     | Modified Tree Pit (Section A-A)                        | 2 of 2           |
| BC 712.01-1     | Specification for Root Control                         | 1 of 2           |
| BC 712.01-2     | Specification for Root Control (Cont.)                 | 2 of 2           |

### **Category No. 8 Utilities/Lighting**

|             |   |        |
|-------------|---|--------|
| BC 801.01   | Roadway Pedestal Base for Light Poles – Augured                                       | 1 of 1 |
| BC 801.02   | Roadway Pedestal Base for Light Poles – Square  | 1 of 1 |
| BC 801.03   | Foundation Base for Light poles - Steel Sub-Base                                      | 1 of 1 |
| BC 801.04   | Roadway Foundation Base for Light Poles - Free Standing Type                          | 1 of 1 |
| BC 801.05   | Roadway Pedestal Base for Inner Harbor Type Light Poles                               | 1 of 1 |
| BC 801.07   | Bolton Hill, Fells Point and Otterbein Base   | 1 of 1 |
| BC 802.01-1 | Conduit Expansion Coupling Parapet  | 1 of 2 |
| BC 802.01-2 | Conduit Expansion Joint for Suspended Electrical Duct                                 | 2 of 2 |
| BC 802.02   | Junction Boxes and Pull Boxes   | 1 of 1 |
| BC 802.03-1 | Conduit Square Bore Adapter   | 1 of 4 |
| BC 802.03-2 | Conduit Square Bore Adapter   | 2 of 4 |
| BC 802.03-3 | Duct Plugs, Bell Ends and Terminators   | 3 of 4 |
| BC 802.03-4 | Split Duct  | 4 of 4 |
| BC 802.04-1 | 5" PVC, Plastic Utility Duct on Bridge Hanger Supports                                | 1 of 6 |
| BC 802.04-2 | 5" PVC, Plastic Utility Duct on Bridge Hanger Supports                                | 2 of 6 |
| BC 802.04-3 | 5" PVC, Plastic Utility Duct on Bridge Hanger Supports                                | 3 of 6 |
| BC 802.04-4 | 5" PVC Duct on Bridges – Back to Back Expansion Joint Installation                    | 4 of 6 |
| BC 802.04-5 | 5" PVC Duct on Bridges – Back to Back Expansion Joint Installation                    | 5 of 6 |
| BC 802.04-6 | 5" PVC, Plastic Utility Duct on Bridge Stop Ring Installation and<br>Duct Termination | 6 of 6 |
| BC 803.01-1 | Conduit Sections in Casing Pipe   | 1 of 5 |
| BC 803.01-2 | Conduit Sections in Casing Pipe   | 2 of 5 |
| BC 803.01-3 | Conduit Sections in Casing Pipe   | 3 of 5 |
| BC 803.01-4 | Conduit Sections in Casing Pipe   | 4 of 5 |
| BC 803.01-5 | Conduit Sections in Casing Pipe   | 5 of 5 |
| BC 804.01   | Handbox - Conduit Typical Installation  | 1 of 1 |
| BC 804.02   | Handbox - Conduit Standard Concrete Base  | 1 of 1 |
| BC 804.03   | Handbox - Conduit Standard Frame  | 1 of 1 |
| BC 804.04   | Handbox - Conduit Standard Cover  | 1 of 1 |
| BC 804.05   | Handbox - Conduit Standard Cover - Details 'A' and 'B'                                | 1 of 1 |
| BC 804.06   | Handbox - Conduit Standard Cover - Detail 'C'   | 1 of 1 |
| BC 804.07   | Handbox - Conduit Standard Cover - Details 'D' and 'E'                                | 1 of 1 |
| BC 804.08   | Handbox - Conduit Standard Cover - Locking Bolt and<br>Surface Design Details         | 1 of 1 |
| BC 804.09   | Standard Handbox Cover – DTT  | 1 of 1 |
| BC 804.10   | Meter Cabinet for Electrical Service  | 1 of 1 |
| BC 804.11   | Roadway Lighting Distribution Panel Schematic Diagram<br>480Y/277 – Unmetered         | 1 of 1 |
| BC 808.01   | Typical Light Standard - 25 Foot AW Pole  | 1 of 1 |
| BC 808.02-1 | Typical Light Standard - 30 Foot AW Pole  | 1 of 2 |
| BC 808.02-2 | Typical Light Standard - 30 Foot AW Pole on Transformer Base                          | 2 of 2 |

| <u>Std. No.</u> | <u>Description</u>   | <u>Sheet No.</u> |
|-----------------|--|------------------|
| BC 808.03       | Typical Light Standard - Steel Pole Dimensions                                   | 1 of 1           |
| BC 808.04       | Typical Pole Arms for 25' & 30' Poles  | 1 of 1           |
| BC 808.05       | Combination Pole for Light Standard and Traffic Signals                          | 1 of 1           |
| BC 808.06       | 11' – 6" Lighting Standard for Residential Streets                               | 1 of 1           |
| BC 808.07       | Lighting Standard Miscellaneous Details  | 1 of 1           |
| BC 808.08       | Standard Anchor Bolts  | 1 of 1           |
| BC 808.09       | Typical Installation of Light Standard on Bridge Parapet<br>Adjacent to Sidewalk | 1 of 1           |
| BC 808.10-1     | Typical Installation of Light Standard on Bridge Parapet<br>Adjacent to Roadway  | 1 of 2           |
| BC 808.10-2     | Typical Installation of Light Standard on Bridge Parapet<br>Adjacent to Roadway  | 2 of 2           |
| BC 808.11       | Lighting Accessories Plumizer Attachment and Parts                               | 1 of 1           |
| BC 808.12       | Lighting Accessories Ballast Plate and Shims                                     | 1 of 1           |
| BC 808.13       | Bridge Lighting Conduit Details  | 1 of 1           |
| BC 808.14       | Detail of Aluminum Pole and Arm Plate Construction                               | 1 of 1           |
| BC 808.15-1     | Base Plate for 11'-6", 25' & 30' Poles, Detail of Bolt Cover                     | 1 of 2           |
| BC 808.15-2     | Base Plate for 11'-6", 25' & 30' Poles, Detail of Bolt Cover                     | 2 of 2           |
| BC 808.16       | Decorative Pole and Tenon  | 1 of 1           |
| BC 808.17-1     | 32' Square Tapered Pole  | 1 of 2           |
| BC 808.17-2     | 32' Square Tapered Pole - Base Cover   | 2 of 2           |
| BC 818.13       | Typical Transformer Bases  | 1 of 1           |
| BC 823.01       | Underpass Luminaire Type I Luminaire Mounting<br>Concrete Structure              | 1 of 1           |
| BC 823.02       | Underpass Luminaire Type II Luminaire Mounting<br>Steel Structure                | 1 of 1           |
| BC 823.03       | Underpass Luminaire Type III Luminaire Mounting –<br>Wall, Pier or Abutment      | 1 of 1           |
| BC 824.01-1     | Standard Duct Sections   | 1 of 2           |
| BC 824.01-2     | Standard Conduit Cross-Sections  | 2 of 2           |
| BC 824.02-1     | Plastic Utility Duct PVC (Poly Vinyl Chloride) General<br>Information            | 1 of 2           |
| BC 824.02-2     | Plastic PVC Duct Spacers General Information                                     | 2 of 2           |
| BC 824.05       | Conduit Pole Connection, Single, Double and Triple                               | 1 of 1           |
| BC 824.06       | Duct Entrance into Manhole   | 1 of 1           |
| BC 824.07       | Duct Reinforcement at Railroad Crossing  | 1 of 1           |
| BC 824.08       | Reinforcing Slab for Shallow Electric Duct                                       | 1 of 1           |
| BC 824.09       | Duct Typical Section 8-5", 4-3" and 2-4"   | 1 of 1           |
| BC 824.10       | Duct Transition to Precast Recessed Extension                                    | 1 of 1           |
| BC 825.01       | Steel Details for 6 Foot by 12 Foot Line Manhole                                 | 1 of 1           |
| BC 825.02-1     | Details for 6 Foot by 12 Foot Poured in Place Line Manhole                       | 1 of 2           |
| BC 825.02-2     | Details for 6 Foot by 12 Foot Poured in Place Line Manhole                       | 2 of 2           |
| BC 825.04       | Braced Cofferdam for Poured in Place Manhole                                     | 1 of 1           |
| BC 825.05       | Steel Details for 6 Foot by 12 Foot Transformer Manhole                          | 1 of 1           |
| BC 825.06-1     | Details for 6 Foot by 12 Foot Poured in Place Transformer Manhole                | 1 of 2           |
| BC 825.06-2     | Details for 6 Foot by 12 Foot Poured in Place Transformer Manhole                | 2 of 2           |
| BC 825.07-1     | 4'-0" x 4'-0" x 4'-0" Manhole – Conduit  | 1 of 3           |
| BC 825.07-2     | 4'-0" x 4'-0" x 4'-0" Manhole – Conduit  | 2 of 3           |
| BC 825.07-3     | 4'-0" x 4'-0" x 4'-0" Manhole – Conduit  | 3 of 3           |
| BC 825.08-1     | Excavation and Shoring for Precast Manholes                                      | 1 of 2           |
| BC 825.08-2     | Excavation and Shoring for Precast Manholes                                      | 2 of 2           |
| BC 825.09-1     | Poured in Place Manhole – 6'x8'  | 1 of 2           |
| BC 825.09-2     | Poured in Place Manhole – 6'x8'  | 2 of 2           |
| BC 825.10       | Soldier Pile Bracing for Precast Manhole   | 1 of 1           |
| BC 825.11       | Manhole - Conduit Standard Installation  | 1 of 1           |



| <u>Std. No.</u> | <u>Description</u>   | <u>Sheet No.</u> |
|-----------------|--|------------------|
| BC 825.12       | Manhole - Conduit Standard Cover                           | 1 of 1           |
| BC 825.13       | Manhole - Conduit Standard Frame                           | 1 of 1           |
| BC 825.14       | Manhole - Conduit Standard Cover – DTT                     | 1 of 1           |
| BC 825.15-1     | 6'x17'-6"x9' Precast Network Transformer Manhole - Details | 1 of 5           |
| BC 825.15-2     | 6'x17'-6"x9' Precast Network Transformer Manhole – Details | 2 of 5           |
| BC 825.15-3     | 6'x17'-6"x9' Precast Network Transformer Manhole – Details | 3 of 5           |
| BC 825.15-4     | 6'x17'-6"x9' Precast Network Transformer Manhole – Details | 4 of 5           |
| BC 825.15-5     | 6'x17'-6"x9' Precast Network Transformer Manhole – Details | 5 of 5           |
| BC 826.01-1     | Precast Line Manhole - 6'x12'x7' Headroom Top Half         | 1 of 2           |
| BC 826.01-2     | Precast Line Manhole - 6'x12'x7' Headroom Bottom Half      | 2 of 2           |
| BC 826.02-1     | Precast Line Manhole - 6'x12'x8' Headroom Top Half         | 1 of 2           |
| BC 826.02-2     | Precast Line Manhole - 6'x12'x8' Headroom Bottom Half      | 2 of 2           |
| BC 826.03-1     | Precast Line Manhole - 6'x12'x9' Headroom Top Half         | 1 of 2           |
| BC 826.03-2     | Precast Line Manhole - 6'x12'x9' Headroom Bottom Half      | 2 of 2           |
| BC 826.04       | Precast Line Manhole - 6'x12'x7' - 8' -9' HR Bar Schedule  | 1 of 1           |
| BC 826.05       | End and Side Knockout Details - Precast Manhole            | 1 of 1           |
| BC 826.06       | Insert Details for Recessed Extension - Precast Manhole    | 1 of 1           |
| BC 826.07-1     | Precast Recessed Extension                                 | 1 of 2           |
| BC 826.07-2     | Precast Recessed Extension - Manhole Adjustments           | 2 of 2           |
| BC 826.08       | Accessories for Precast Manholes                           | 1 of 1           |
| BC 826.09       | Cast-In-Place Recessed Wall Extension                      | 1 of 1           |
| BC 827.01-1     | Precast Manhole 6'x8'x7' Headroom Top Half                 | 1 of 2           |
| BC 827.01-2     | Precast Manhole 6'x8'x7' Headroom Bottom Half              | 2 of 2           |
| BC 827.02-1     | Precast Manhole 6'x8'x8' Headroom Top Half                 | 1 of 2           |
| BC 827.02-2     | Precast Manhole 6'x8'x8' Headroom Bottom Half              | 2 of 2           |
| BC 827.03       | Precast Manhole 6'x8'x7'-8' HR Bar Schedule                | 1 of 1           |
| BC 830.01-1     | Duct Identification  | 1 of 6           |
| BC 830.01-2     | Duct Identification  | 2 of 6           |
| BC 830.01-3     | Duct Identification  | 3 of 6           |
| BC 830.01-4     | Duct Identification  | 4 of 6           |
| BC 830.01-5     | Duct Identification  | 5 of 6           |
| BC 830.01-6     | Duct Identification  | 6 of 6           |
| BC 830.02       | Conduit Transposition                                      | 1 of 1           |

### **Category No. 8 Utilities/Signals**

|             |  |        |
|-------------|--|--------|
| BC 880.01   | Steel Strain Pole                                    | 1 of 1 |
| BC 880.02   | Heavy Duty Steel Strain Pole                         | 1 of 1 |
| BC 880.03   | Joint Use Steel Strain Pole                          | 1 of 1 |
| BC 880.04   | Heavy Duty Joint Use Steel Strain Pole               | 1 of 1 |
| BC 880.05-1 | Multi-Purpose Pole                                   | 1 of 2 |
| BC 880.05-2 | Multi-Purpose Pole                                   | 2 of 2 |
| BC 880.06-1 | Galvanized Steel Mast Arm Pole                       | 1 of 3 |
| BC 880.06-2 | Galvanized Steel Mast Arm Pole                       | 2 of 3 |
| BC 880.06-3 | Galvanized Steel Mast Arm Pole                       | 3 of 3 |
| BC 880.07   | Push Button Post                                     | 1 of 1 |
| BC 880.08   | Steel Pedestal Pole                                  | 1 of 1 |
| BC 880.09-1 | Inner Harbor Type Square Steel Poles & Mast Arms     | 1 of 4 |
| BC 880.09-2 | Inner Harbor Type Square Steel Poles & Mast Arms     | 2 of 4 |
| BC 880.09-3 | Inner Harbor Type Square Steel Poles & Mast Arms     | 3 of 4 |
| BC 880.09-4 | Inner Harbor Type Square Steel Poles & Mast Arms     | 4 of 4 |
| BC 880.10   | Inner Harbor Type Square Pedestal Pole               | 1 of 1 |
| BC 887.01   | Pole, Post and Pedestal Foundation Details – Traffic | 1 of 1 |

| <u>Std. No.</u> | <u>Description</u>   | <u>Sheet No.</u> |
|-----------------|--|------------------|
| BC 887.02       | Standard Anchor Bolts – Traffic                                | 1 of 1           |
| BC 890.01       | Category ( C ) Controller Cabinet Foundation Base              | 1 of 1           |
| BC 890.02       | Type 332 And Category ( E ) Controller Cabinet Foundation Base | 1 of 1           |
| BC 890.10       | Type 336S Cabinet Base Adapter                                 | 1 of 1           |
| BC 890.11       | Push Button Sign   | 1 of 1           |
| BC 890.12       | Cabinet Mounting Bracket – Traffic                             | 1 of 1           |
| BC 891.01       | Existing Ductbank Support System                               | 1 of 1           |
| BC 892.01-1     | Adapting Plastic Duct to Other Duct Materials                  | 1 of 10          |
| BC 892.01-2     | Adapting Plastic Duct to Other Duct Materials                  | 2 of 10          |
| BC 892.01-3     | Adapting Plastic Duct to Other Duct Materials                  | 3 of 10          |
| BC 892.01-4     | Adapting Plastic Duct to Other Duct Materials                  | 4 of 10          |
| BC 892.01-5     | Adapting Plastic Duct to Other Duct Materials                  | 5 of 10          |
| BC 892.01-6     | Adapting Plastic Duct to Other Duct Materials                  | 6 of 10          |
| BC 892.01-7     | Adapting Plastic Duct to Other Duct Materials                  | 7 of 10          |
| BC 892.01-8     | Adapting Plastic Duct to Other Duct Materials                  | 8 of 10          |
| BC 892.01-9     | Adapting Plastic Duct to Other Duct Materials                  | 9 of 10          |
| BC 892.01-10    | Adapting Plastic Duct to Other Duct Materials                  | 10 of 10         |
| BC 893.01-1     | Tree Root Barrier for Tree Pits                                | 1 of 4           |
| BC 893.01-2     | Tree Root Barrier for Tree Pits                                | 2 of 4           |
| BC 893.01-3     | Tree Root Barrier for Tree Pits                                | 3 of 4           |
| BC 893.01-4     | Tree Root Barrier for Tree Pits                                | 4 of 4           |