



EXPLANATORY NOTES:

1. IN ADDITION TO THE EQUIPMENT INDICATED ABOVE, AIR CONDITIONING WILL BE REQUIRED, THE COST OF WHICH IS TO BE INCLUDED WITH THE LUMP SUM BID PRICE OF THE OFFICE. THE SYSTEM MUST BE CAPABLE OF MAINTAINING A TEMPERATURE OF 80° F DRY BULB AND APPROXIMATELY 50% RELATIVE HUMIDITY IN THE CONDITIONED AREA. WHEN OUTSIDE TEMPERATURES ARE 95° F DRY BULB AND 78° F WET BULB AT LEAST ONE UNIT WILL BE REQUIRED FOR EACH OF THE TWO COMPARTMENTS.
2. FURNITURE AND FIXTURES INDICATED ARE BASIC TO THE TRAILER. ADDITIONAL EQUIPMENT REQUIRED AND NOT SHOWN IS SO SPECIFIED IN SECTION 13 22 00 OF GENERAL SPECIFICATIONS.
3. DIMENSIONS FOR THE LENGTH MAY BE VARIED SO THAT WHEN MULTIPLIED BY THE WIDTH A MINIMUM INSIDE AREA OF 250 SQ. FT. WILL RESULT. MINIMUM HEIGHT TO BE 7'-0".
4. TOILET FACILITIES AS INDICATED IN THE TRAILER MAY BE CONNECTED TO AN APPROVED WATER SUPPLY AND TO A SEWER OR SEPTIC TANK SYSTEM, OR SEPARATE TOILET FACILITIES MEETING THE REQUIREMENTS OF PARAGRAPH (K) OF SECTION 13 22 00 OF THE SPECIFICATIONS MAY BE PROVIDED.



APPROVED: *Primal D. Williams*
 DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION
Khalil Zare
 DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
 DEPARTMENT OF TRANSPORTATION
 TRANSPORTATION ENGINEERING AND CONSTRUCTION
 ENGINEER'S OFFICE
 No.2 - TRAILER

ISSUED	REVISED	REVISED
8 / 2010		
STANDARD NO. BC 103.01		
SCALE : NONE	SHEET 1 OF 1	